What is claimed is,


1. An aromatic liquid-crystalline polyester film comprising an aromatic liquid-crystalline polyester with a weight average molecular weight of 5000 to 100000, which comprises by a structural unit of the following formula (I):

a structural unit of the following formula (II):

(wherein n represents 0 or 1), and a structural unit of the following formula (III):

wherein each structural unit combines through ester-bonding.

2. The film according to Claim 1, wherein the aromatic liquid-crystalline polyester further comprises a structural unit of the following formula (IV):



in addition to structural units of the formulae (I), (II) and (III).

- 3. The film according to Claim 1, wherein the amount of (I) is from 40 to 70% by mol based on total structural units and (II)/(III) is from (95/100) to (100/95) in the molar ratio.
- 4. The aromatic liquid-crystalline polyester film according to Claim 1 or 3, wherein the amount of (I) is from 55 to 60% by mol based on total structural units.
- 5. The film according to Claim 1, wherein the structural unit (II) is a structural unit derived from hydroquinone and the structural unit (III) is a structural unit derived from 2,6-naphthalenedicarboxylic acid.
- 6. The film according to Claim 2, wherein the amount of (I) is from 40 to 70% by mol based on total structural units, (III)/(IV) is from (95/5) to (5/95) in the molar ratio and (II)/[(III)+(IV)] is from (95/100) to (100/95) in the molar ratio.

- 7. The film according to Claim 2, wherein the amount of (I) is from 55 to 60% by mol based on total structural units and (III)/(IV) is from (80/20) to (20/80) in the molar ratio.
- 8. The film according to any one of Claims 2, wherein the structural unit (II) is a structural unit derived from hydroquinone, the structural unit (III) is a structural unit derived from 2,6-naphthalenedicarboxylic acid and the structural unit (IV) is a structural unit derived from terephthalic acid, derived from isophthalic acid, or derived from a mixture of terephthalic acid and isophthalic acid.
- 9. Alaminated article obtained by laminating the film according to any one of Claim 1 or 2 and a metal layer.
- 10. The laminated article according to Claim 9, wherein the metal layer is a metal layer of at least one metal selected from the group consisting of gold, silver, copper, nickel and aluminum.
- 11. The laminated article according to Claim 10, wherein the metal layer is a copper layer.
- 12. A printed wiring board obtained by using the laminated body according to any one of Claims 9 to 11.